WorkForce Pro WF-C5790



DATASHEET / BROCHURE

































Reduce your business printing costs and environmental impact, all while increasing productivity with less intervention and enhanced security.

This small workgroup multifunction device is perfect for the business environment, from small offices to large corporates who may have traditionally used lasers and want to cut costs, increase productivity and reduce downtime. This is while also cutting their business' environmental impact and improving their CSR reputation.

Save money

It can help businesses save at least 50% on their colour CPP (cost per page) versus comparable laser models¹. Designed for workgroups, your business can avoid the hidden employee productivity costs associated with centralised printing. Further lower costs by changing consumables less with its innovative ink supply system.

High productivity and low intervention

Delivering the Fastest First Page Out Time (FPOT) in its segment for both colour (5.3 seconds) and mono (4.8 seconds) prints against comparable lasers, it also has the fastest colour scan speed in the segment at 24ipm². Print up to 10,000 pages in monochrome and 5,000 in colour without changing supplies.

Reduce your impact

Benefit from low-power consumption without compromising on an ultra-sharp output, with at least 70% less energy used than comparable laser models².

Built for business

A range of software and tools provide secure print options, efficient scanning and help manage devices remotely. NFC and wireless connectivity also supports printing from mobile devices. And with its smartphone inspired user interface and touchscreen, it's intuitive to operate.

KEY FEATURES

- Large ink yield in its segment Print up to 10,000 pages
- Ecological

Uses up to 70 percent less power than competitive colour lasers²

· Save money

Save at least 50% on colour CPP (cost per page) versus comparable laser models¹

· Save time

Automatic double-sided printing, scanning, copying and faxing

· Built for business

Added functionality with software tools such as Epson Open Platform



PRODUCT SPECIFICATIONS

TECHNOLOGY

Printing Method PrecisionCore™ Print Head

 Nozzle Configuration
 800 Nozzles black, 800 Nozzles per colour

 Minimum Droplet Size
 3.8 pl, With Variable-Sized Droplet Technology

 Ink Technology
 DURABrite™ Ultra

 Application
 Office Workgroup

 All-in-One Functions
 Print, Scan, Copy, Fax

PRINT

First Page Out Monochrome 4.8 Seconds, Colour 5.3 Seconds
Printing Speed ISO/IEC 24734 24 pages/min Monochrome, 24 pages/min Colour

Duplex Printing Speed ISO/IEC 24734

Maximum Printing Speed 34 pages/min Monochrome (plain paper), 34 pages/min Colour (plain paper)

15 A4 pages/min Monochrome, 15 A4 pages/min Colour

Printing Resolution 4,800 x 1,200 dpi

Max Duty cycle 45,000 pages per month

The maximum number of printed pages per month based on the performance capabilities of

the printer, including ISO rated print speeds and paper handling capabilities.

Recommended Duty Cycle 250 - 2,500 pages per month
Colours Black, Cyan, Yellow, Magenta

Colours Black,

SCAN

Scanning Speed (new) 24 ipm (Monochrome, Single-sided, 200 dpi, ADF); 24 ipm (Colour, Single-sided, 200 dpi,

ADF); 8 ipm (Monochrome, Double-sided, 200 dpi, ADF); 8 ipm (Colour, Double-sided, 200 dpi, ADF); 5 sec/page (Monochrome, 200 dpi, Flatbed); 5 sec/page (Colour, 200 dpi, Flatbed);

Scanning Resolution 1,200 dpi x 2,400 dpi (Horizontal x Vertical)

Optical Resolution (ADF) 1,200 dpi (Horizontal x Vertical)

Advanced document E-mail, FTP, Network folders, C

integration

E-mail, FTP, Network folders, Computer (Epson Document Capture Pro), USB Memory Device

Output formats JPEG, TIFF, PDF

Scanner type Contact image sensor (CIS)

FAX

Type of fax Walk-up black and white and colour fax capability

Fax Transmission Speed Up to 33.6kbps / Approx. 3 sec/page

Fax speed dials (max) 200 names and numbers

Page memory Up to 550 pages/ 6MB (ITU-T No. 1 chart)

Fax Functions PC Fax, Fax to E-mail, Fax to Folder, Address Book, Delay Send, Broadcast Fax

COPY

Copy Speed up to 22 ipm Black, up to 22 ipm Colour

*Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)

 $\begin{array}{lll} \mbox{Copy resolution (dpi)} & 600 \times 1200 \\ \mbox{Reduction / Enlargement} & 25 \% - 400 \% \\ \mbox{Maximum number of copies} & 999 \end{array}$

WorkForce Pro WF-C5790

WHAT'S IN THE BOX

- Individual Ink Pack
- Power cable
- Driver and utilities (CD)
- Setup quide
- User manual (CD)

PRODUCT SPECIFICATIONS

CONNECTIVITY

Network Printing Protocols

Network Management

Protocols

LPR, FTP, IPP, LPD, Port 9100, WSD, Net BIOS over TCP/IP, WSD-Print, Bonjour/Airprint HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, SMTP, POP3, IEEE 802.1X, ARP, GARP, ICMP, IGMP, DCHP, HTTPS, XMPP, LDAP, LDAPS, SNMP 1.0, SNMP

2.0c, SNMP 3.0, SNMP Trap

Network Scanning Protocols

NetBIOS over TCP/IP, WSD-Scan, Bonjour/Airprint, FTP

Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, USB 1.1 Type A (2x), Hi-Speed USB - compatible Interfaces with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Near

Field Communication (NFC)

WEP 64 Bit WEP 128 Bit WPA PSK (AES) WPA2 PSK (AES) WI AN Security Network Protocols TCP/IPv4, TCP/IPv6, TCP, HTTP, IPv4, IPv6, IPSEC, SSL/TLS

PAPER / MEDIA HANDLING

Paper Formats

C4 (Envelope), Legal, A6, A5, B5, Letter, 9 x 13 cm, 10 x 15 cm, 13 x 18 cm, A4, B6, C5

(Envelope), No. 10 (Envelope), User defined, C6 (Envelope), DL (Envelope)

Automatic Document Feeder Compatible Paper Weight

64 g/m² - 256 g/m²

Duplex

Standard Paper input

330 Sheets Standard, 80 Sheets MP tray, 250 Sheets paper tray

Output Tray Capacity

150 Sheets

Standard paper tray(s)

80-Sheet Multi-Purpose Tray, 250-sheet paper tray

Optional paper tray(s)

500-Sheet paper tray

Maximum paper input Rear paper path (special 830 Yes

PAPER FEED RASE

RASE Paper Input Name

Paper Formats

A4, A5, A6, C4 (Envelope), DL (Envelope), Letter, Postcard, User defined, Legal

Custom sizes Min 64x 127 mm to Max 216x 60,000 mm

Compatible paper weight 64 g/m² - 256 g/m²

Paper Capacity 1

80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, Labels, 80gsm Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper

PAPER FEED C1

Media type

Paper Input Name

Paper Formats A4, A5, A6, Letter

Min 89x 127 mm to Max 216x 356 mm Custom sizes

64 a/m² - 160 a/m² Compatible paper weight

Paper Capacity 1 250 Sheets of Plain Paper, Envelopes, 80gsm Plain Paper, Recycled Paper, Colour Paper, Letterhead Media type

PAPER FEED C2

Paper Input Name C2 Paper Formats A4, Letter

Min 100x 148 mm to Max 216x 356 mm Custom sizes

Compatible paper weight 64 g/m² - 160 g/m²

500 Sheets of Plain Paper, 80gsm Paper Capacity 1

Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead

PAPER FEED DUPLEX

Paper Input Name

Paper Formats A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive Custom sizes Min 148x 210 mm to Max 216x 297 mm

Compatible paper weight 64 g/m² - 160 g/m²

Plain Paper, Recycled Paper, Colour Paper, Letterhead Media type

PRODUCT SPECIFICATIONS

WorkForce Pro WF-C5790

GENERAL

25 W (standalone copying, ISO/IEC 24712 pattern), 1.5 W (sleep mode), 12 W (Ready), 0.2 W Energy Use

(Power off), ENERGY STAR® qualified, TEC 0.2 kWh/week

AC 220 V - 240 V, 50 Hz - 60 Hz Supply Voltage

425 x 535 x 357 mm (Width x Depth x Height) Product dimensions

Product weight 18.7 kg

Compatible Operating Citrix XenApp 7.6 and above, Citrix XenDesktop Version 7.6, Linux, Mac OS 10.10.x, Mac OS Systems

10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.11.x, Mac OS X 10.12, Mac OS X 10.12.x, Mac OS X 10.6.8, Microsoft Windows Vista (32/64 bit), SAP, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8,1, Windows Server 2003 R2 x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows Vista x64, Windows

XP SP2 or higher, Windows XP SP3, Windows XP x64, Windows server 2003 R2, XP

Professional x64 Edition, XP Professional x64 Edition SP2

Included Software Epson Document Capture Pro (Windows only)

Sound Power Operation: 6.6 B (A) Operation: 54 dB (A) Sound Pressure

Mobile and Cloud printing Apple AirPrint, Google Cloud Print, Epson Connect (iPrint, Email Print, Remote Print Driver,

Scan-to-Cloud, Facebook print) services Noise Level Operation: 54 dB (A) 220V, 240V

ADDITIONAL FEATURES

Power Supply

Touchscreen, Direct Print, Direct scan-to-print without PC, Direct print from USB Features

LCD screen Type: Colour, Touchscreen, Diagonal: 10.9 cm

Media Handling ADF 2-sided copy (A4, plain paper), Automatic duplex (A4, plain paper), Portrait & Landscape

printing, Thick Media Support

Security Functions Limit access function with Epson Web Config, Secure confidential printing with PIN code

release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin

OTHER FEATURES

Emulations PCL5c, PCL6, PostScript 3, ESC/P-R, PDF 1.7

OTHER

12 months On-site service Warranty

Optional warranty extension available

SUPPLIES

• C13T948200	WF-C5xxx Series Ink Pack Standard Cyan	3,000 pages
• C13T948300	WF-C5xxx Series Ink Pack Standard Magenta	3,000 pages
• C13T948400	WF-C5xxx Series Ink Pack Standard Yellow	3,000 pages
• C13T949100	WF-C5xxx Series Ink Pack Large Black	5,000 pages
• C13T949200	WF-C5xxx Series Ink Pack Large Cyan	5,000 pages
• C13T949300	WF-C5xxx Series Ink Pack Large Magenta	5,000 pages
• C13T949400	WF-C5xxx Series Ink Pack Large Yellow	5,000 pages
• C13T950100	WF-C5xxx Series Ink Pack Extra Large Black	10,000 pages
• C13T671600	WF-C5xxx Series Maintenance Box	60,000 pages







Epson Hong Kong Limited

*Please call our sales hotlines for demonstration at our showroom.

Unit 715-723, 7/F Trade Square, 681 Cheung Sha Wan Road, Cheung Sha Wan, Kowloon, H.K.

- 1. Comparison made against the top 10 best selling colour laser printers, with a print speed between 1 and 30 pages per minute.
- 2. Comparison made against the top 10 best selling colour laser printers in Western Europe and Central and Eastern Europe, with a print speed between 1 and 30 pages per minute.





HK Sales Hotline · (852) 2827 8711 HK Technical Hotline (852) 2827 8911 Macau Hotline (853) 2850 8065